

WHAT IS CLAIMED IS:

1. A liquid crystal device, comprising:  
a liquid crystal layer;  
a pair of substrates sandwiching and holding the liquid crystal layer; and  
spacers disposed between the pair of substrates;  
at least one of the pair of substrates having depressions formed thereon, and  
the spacers being mainly disposed in the depressions.
2. The liquid crystal device according to Claim 1, the substrate having pixel regions and non-pixel regions on the surface thereof, and the depressions being formed in the non-pixel regions.
3. The liquid crystal device according to Claim 2, a plurality of coloring layers being formed so as to correspond to the pixel regions; light-shielding films thinner than the coloring layers being formed between the adjacent coloring layers so as to correspond to the non-pixel regions; and the depressions being formed on the corresponding light-shielding films.
4. The liquid crystal device according to Claim 1, a plurality of scanning electrodes being formed on one of the pair of substrates; a plurality of data electrodes being formed on the other substrate so as to intersect with the scanning electrodes; and the depressions being formed between the adjacent scanning electrodes and between the adjacent data electrodes.
5. A method for fabricating a liquid crystal device that includes spacers disposed between a pair of substrates sandwiching and holding a liquid crystal layer, the method comprising:  
forming depressions on at least one of the substrates; and  
disposing the spacers in the depressions such that when a spacer-dispersed solution prepared by dispersing the spacers in a solvent is discharged in the depressions on the substrate with a droplet-discharging method, and when the solvent is evaporated, the spacers are disposed in the depressions.
6. The method for fabricating the liquid crystal device according to Claim 5, the forming of the depressions including, when electrodes having a predetermined pattern are formed on the substrate, forming the depressions between the adjacent electrodes.
7. The method for fabricating the liquid crystal device according to Claim 5, the forming of the depressions including, when a plurality of light-shielding films are formed on the substrate and when coloring layers thicker than the light-shielding films are formed

between the adjacent light shielding films, forming the depressions d on the light-shielding films.

8. An electronic apparatus, comprising:  
the liquid crystal device according to Claim 1.